GEE
DIGITAL CAFE MACHINE

PRODUCT CATALOG



GCM-2112

Pro Counter Top Twin

Dual independent system · Coffee & tea in one

ESPRESSO COFFEE | SINGLE ORIGIN | TEA ESPRESSO

One machine.
Three extractions.

Two independent sides, each with its own temperature control and 4 memory presets — coffee and tea from one machine, at the same time.



- Espresso Coffee
- Single Origin
- Tea Espresso



ESPRESSO

Espresso extraction

15 bar pump pressure with a 58 mm pro group head.



SINGLE ORIGIN

Single origin coffee

Shower-style water distribution for an even soak of the coffee bed.



TEA ESPRESSO

Peak Extraction Technology

Shorter steeping time. Stronger tea with less astringency.



Features

EXTRACTION

- 3 extraction modes
- Coffee & tea, 3-in-1
- Peak Extraction Technology
- 58mm pro group head
- Real pressure display

CONTROL

- Dual independent system
- 4 presets per side
- PID temperature control
- Parameter protection
- Cup counter
- Auto back-flush

BUILD

- Stainless steel housing
- Quiet pump
- LED light show

COLOURS

Black or white.



○ White

● Black



LED LIGHT SHOW

LED Light Show

Colours and flash patterns change with the machine’s status.

ODM / OEM

Your brand, cut into the body.



01 Housing colour

02 Laser-cut logo



ELECTRICAL

AC power	AC 220–240V
Main boiler	750 W × 2
Pre-heat boiler	750 W × 2
Group head heater	120 W × 2
Max. consumption	3,240 W
Colour	Black / White

MECHANICAL

Boiler material	304 stainless
Main boiler cap.	1,000 c.c. × 2
Pre-heat boiler cap.	1,000 c.c. × 2
Pump pressure	15 bar
Size W×H	816 × 478 mm
Net weight	40 kg


GEE
DIGITAL CAFE MACHINE
Extraction is precision engineering.
www.gee-coffee.com
PRO COUNTER TOP TWIN · GCM-2112